

Krmilniki SIMATIC S7-1200

Krmilniki SIMATIC S7-1200 - CPE

KATALOŠKA ŠT.	OPIS	KRATKI NAZIV	DOBAVNI ROK	CENA (EUR)
6ES7211-1AE40-0XB0	SIMATIC S7-1200, CPU 1211C, compact CPU, DC/DC/DC, onboard I/O: 6 DI 24 V DC; 4 DO 24 V DC; 2 AI 0-10 V DC, Power supply: DC 20.4-28.8V DC, Program/data memory 50 KB	CPE 1211C, DC/DC/DC	zaloga	209,00
6ES7211-1BE40-0XB0	SIMATIC S7-1200, CPU 1211C, compact CPU, AC/DC/relay, onboard I/O: 6 DI 24 V DC; 4 DO relay 2A; 2 AI 0-10 V DC, Power supply: AC 85-264 V AC at 47-63 Hz, Program/data memory 50 KB	CPE 1211C, AC/DC/RELE	teden dni	209,00
6ES7211-1HE40-0XB0	SIMATIC S7-1200, CPU 1211C, compact CPU, DC/DC/relay, onboard I/O: 6 DI 24 V DC; 4 DO relay 2A; 2 AI 0-10 V DC, Power supply: DC 20.4-28.8V DC, Program/data memory 50 KB	CPE 1211C, DC/DC/RELE	teden dni	209,00
6ES7212-1AE40-0XB0	SIMATIC S7-1200, CPU 1212C, compact CPU, DC/DC/DC, onboard I/O: 8 DI 24 V DC; 6 DO 24 V DC; 2 AI 0-10 V DC, Power supply: DC 20.4-28.8V DC, Program/data memory 75 KB	CPE 1212C, DC/DC/DC	zaloga	281,00
6ES7212-1BE40-0XB0	SIMATIC S7-1200, CPU 1212C, compact CPU, AC/DC/relay, onboard I/O: 8 DI 24 V DC; 6 DO relay 2 A; 2 AI 0-10 V DC, Power supply: AC 85-264 V AC at 47-63 Hz, Program/data memory 75 KB	CPE 1212C, AC/DC/RELE	teden dni	281,00
6ES7212-1HE40-0XB0	SIMATIC S7-1200, CPU 1212C, compact CPU, DC/DC/relay, onboard I/O: 8 DI 24 V DC; 6 DO relay 2 A; 2 AI 0-10 V DC, Power supply: DC 20.4-28.8V DC, Program/data memory 75 KB	CPE 1212C, DC/DC/RELE	teden dni	281,00
6ES7214-1AG40-0XB0	SIMATIC S7-1200, CPU 1214C, compact CPU, DC/DC/DC, onboard I/O: 14 DI 24 V DC; 10 DO 24 V DC; 2 AI 0-10 V DC, Power supply: DC 20.4-28.8V DC, Program/data memory 100 KB	CPE 1214C, DC/DC/DC	zaloga	425,00
6ES7214-1BG40-0XB0	SIMATIC S7-1200, CPU 1214C, compact CPU, AC/DC/relay, onboard I/O: 14 DI 24 V DC; 10 DO relay 2 A; 2 AI 0-10 V DC, Power supply: AC 85-264 V AC at 47-63 Hz, Program/data memory 100 KB	CPE 1214C, AC/DC/RELE	teden dni	425,00
6ES7214-1HG40-0XB0	SIMATIC S7-1200, CPU 1214C, compact CPU, DC/DC/relay, onboard I/O: 14 DI 24 V DC; 10 DO relay 2 A; 2 AI 0-10 V DC, Power supply: DC 20.4-28.8V DC, Program/data memory 100 KB	CPE 1214C, DC/DC/RELE	zaloga	425,00
6ES7215-1AG40-0XB0	SIMATIC S7-1200, CPU 1215C, compact CPU, DC/DC/DC, 2 PROFINET ports, onboard I/O: 14 DI 24 V DC; 10 DO 24 V DC; 0.5A; 2 AI 0-10 V DC, 2 AO 0-20 mA DC, Power supply: DC 20.4-28.8V DC, Program/data memory 125 KB	CPE 1215C, DC/DC/DC	zaloga	640,00
6ES7215-1BG40-0XB0	SIMATIC S7-1200, CPU 1215C, compact CPU, AC/DC/relay, 2 PROFINET ports, onboard I/O: 14 DI 24 V DC; 10 DO relay 2 A, 2 AI 0-10 V DC, 2 AO 0-20 mA DC, Power supply: AC 85-264 V AC at 47-63 Hz, Program/data memory 125 KB	CPE 1215C, AC/DC/RELE	teden dni	640,00
6ES7215-1HG40-0XB0	SIMATIC S7-1200, CPU 1215C, compact CPU, DC/DC/relay, 2 PROFINET ports, onboard I/O: 14 DI 24 V DC; 10 DO relay 2 A, 2 AI 0-10 V DC, 2 AO 0-20 mA DC, Power supply: DC 20.4-28.8 V DC, Program/data memory 125 KB	CPE 1215C, DC/DC/RELE	teden dni	640,00
6ES7217-1AG40-0XB0	SIMATIC S7-1200, CPU 1217C, compact CPU, DC/DC/DC, 2 PROFINET ports onboard I/O: 10 DI 24 V DC; 4 DI RS422/485; 6 DO 24 V DC; 0.5A; 4 DO RS422/485; 2 AI 0-10 V DC, 2 AO 0-20 mA DC, Power supply: DC 20.4-28.8V DC, Program/data memory 150 KB	CPE 1217C, DC/DC/DC	teden dni	924,00



Varnostni krmilniki SIMATIC S7-1200 - CPE

KATALOŠKA ŠT.	OPIS	KRATKI NAZIV	DOBAVNI ROK	CENA (EUR)
6ES7212-1AF40-0XB0	SIMATIC S7-1200F, CPU 1212 FC, compact CPU, DC/DC/DC, onboard I/O: 8 DI 24 V DC; 6 DO 24 V DC; 2 AI 0-10 V DC, Power supply: DC 20.4-28.8V DC, Program/data memory 100 KB	CPE 1212 FC, DC/DC/DC	teden dni	402,00
6ES7212-1HF40-0XB0	SIMATIC S7-1200F, CPU 1212 FC, compact CPU, DC/DC/relay, onboard I/O: 8 DI 24 V DC; 6 DO relay 2 A; 2 AI 0-10 V DC, Power supply: DC 20.4-28.8V DC, Program/data memory 100 KB	CPE 1212 FC, DC/DC/RELE	teden dni	402,00
6ES7214-1AF40-0XB0	SIMATIC S7-1200F, CPU 1214 FC, compact CPU, DC/DC/DC, onboard I/O: 14 DI 24 V DC; 10 DO 24 V DC; 2 AI 0-10 V DC, Power supply: DC 20.4-28.8V DC, Program/data memory 125 KB	CPE 1214 FC, DC/DC/DC	teden dni	634,00
6ES7214-1HF40-0XB0	SIMATIC S7-1200F, CPU 1214 FC, compact CPU, DC/DC/relay, onboard I/O: 14 DI 24 V DC; 10 DO relay 2 A; 2 AI 0-10 V DC, Power supply: DC 20.4-28.8V DC, Program/data memory 125 KB	CPE 1214 FC, DC/DC/RELE	teden dni	634,00
6ES7215-1AF40-0XB0	SIMATIC S7-1200F, CPU 1215 FC, compact CPU, DC/DC/DC, 2 PROFINET ports, onboard I/O: 14 DI 24 V DC; 10 DO 24 V DC; 0.5A; 2 AI 0-10 V DC, 2 AO 0-20 mA DC, Power supply: DC 20.4-28.8V DC, Program/data memory 150 KB	CPE 1215 FC, DC/DC/DC	teden dni	934,00
6ES7215-1HF40-0XB0	SIMATIC S7-1200F, CPU 1215 FC, compact CPU, DC/DC/relay, 2 PROFINET ports, onboard I/O: 14 DI 24 V DC; 10 DO relay 2 A, 2 AI 0-10 V DC, 2 AO 0-20 mA DC, Power supply: DC 20.4-28.8 V DC, Program/data memory 150 KB	CPE 1215 FC, DC/DC/RELE	teden dni	934,00

Spominske kartice MC

KATALOŠKA ŠT.	OPIS	KRATKI NAZIV	DOBAVNI ROK	CENA (EUR)
6ES7954-8LC03-0AA0	SIMATIC S7, MEMORY CARD for S7-1x00 CPU/SINAMICS, 3,3 V Flash, 4 MB	MC, 4MB	zaloga	57,80
6ES7954-8LE03-0AA0	SIMATIC S7, MEMORY CARD for S7-1X00 CPU/SINAMICS, 3,3 V Flash, 12 MB	MC, 12MB	zaloga	191,00
6ES7954-8LF03-0AA0	SIMATIC S7, MEMORY CARD for S7-1X00 CPU/SINAMICS, 3,3 V Flash, 24 MB	MC, 24MB	zaloga	289,00
6ES7954-8LL03-0AA0	SIMATIC S7, MEMORY CARD for S7-1X00 CPU, 3,3 V Flash, 256 MB	MC, 256MB	teden dni	397,00
6ES7954-8LP04-0AA0	SIMATIC S7, MEMORY CARD for S7-1x00 CPU, 3,3V Flash, 2 GB	MC, 2GB	teden dni	737,00
6ES7954-8LT03-0AA0	SIMATIC S7, MEMORY CARD for S7-1x00 CPU, 3,3V Flash, 32 GB	MC, 32GB	teden dni	1.131,00

Napajalni modul

KATALOŠKA ŠT.	OPIS	KRATKI NAZIV	DOBAVNI ROK	CENA (EUR)
6EP1332-1SH71	SIMATIC S7-1200 Power Module PM 1207 Stabilized power supply input: 120/230 V AC, output: DC 24 V/2,5 A	PM 1207 24V/2,5A DC	zaloga	92,00


Digitalni VHODNI moduli

KATALOŠKA ŠT.	OPIS	KRATKI NAZIV	DOBAVNI ROK	CENA (EUR)
6ES7221-1BF32-0XB0	SIMATIC S7-1200, Digital input SM 1221, 8 DI, 24 V DC, Sink/Source	SM 1221 8DI	zaloga	122,00
6ES7221-1BH32-0XB0	SIMATIC S7-1200, Digital input SM 1221, 16 DI, 24 V DC, Sink/Source	SM 1221 16DI	zaloga	195,00
6ES7221-3BD30-0XB0	SIMATIC S7-1200, Digital input SB 1221, 4 DI, 24 V DC 200 kHz, Sourcing input	SB 1221 4DI	zaloga	71,70
6ES7221-3AD30-0XB0	SIMATIC S7-1200, Digital input SB 1221, 4 DI, 5V DC 200kHz, Sourcing input	SB 1221 4DI (5V DC)	zaloga	71,70

Digitalni VARNOSTNI VHODNI moduli

KATALOŠKA ŠT.	OPIS	KRATKI NAZIV	DOBAVNI ROK	CENA (EUR)
6ES7226-6BA32-0XB0	SIMATIC S7-1200, Digital input SM 1226, F-DI 16X 24 V DC, PROFIsafe, 70 mm overall width, up to PL E (ISO 13849-1)/ SIL3 (IEC 61508)	SM 1226 16F-DI	teden dni	202,00

Digitalni IZHODNI moduli

KATALOŠKA ŠT.	OPIS	KRATKI NAZIV	DOBAVNI ROK	CENA (EUR)
6ES7222-1BF32-0XB0	SIMATIC S7-1200, Digital output SM 1222, 8 DO, 24 V DC, transistor 0.5 A	SM 1222 8DO	zaloga	122,00
6ES7222-1BH32-0XB0	SIMATIC S7-1200, Digital output SM 1222, 16 DO, 24 V DC, transistor 0.5 A	SM 1222 16DO	zaloga	195,00
6ES7222-1HF32-0XB0	SIMATIC S7-1200, Digital output SM 1222, 8 DO, relay 2 A	SM 1222 8DO RELE	zaloga	122,00
6ES7222-1HH32-0XB0	SIMATIC S7-1200, Digital output SM 1222, 16 DO, relay 2 A	SM 1222 16DO RELE	zaloga	195,00
6ES7222-1XF32-0XB0	SIMATIC S7-1200, Digital output SM 1222, 8 DO, relay Changeover contact	SM 1222 8DO RELE C/O	teden dni	144,00
6ES7222-1BD30-0XB0	SIMATIC S7-1200, Digital output SB 1222, 4 DQ, 24 V DC 200 kHz	SB 1222 4DO	zaloga	71,70
6ES7222-1AD30-0XB0	SIMATIC S7-1200, Digital output SB 1222, 4 DQ, 5V DC 200kHz	SB 1222 4DO (5V DC)	teden dni	71,70

Digitalni VARNOSTNI IZHODNI moduli

KATALOŠKA ŠT.	OPIS	KRATKI NAZIV	DOBAVNI ROK	CENA (EUR)
6ES7226-6DA32-0XB0	SIMATIC S7-1200, Digital output SM 1226, F-DQ 4x 24 V DC 2A, PROFIsafe, 70 mm overall width, up to PL E (ISO 13849-1)/ SIL3 (IEC 61508)	SM 1226 4F-DO	2 tedna	202,00
6ES7226-6RA32-0XB0	SIMATIC S7-1200, Relay output SM 1226, F-DQ 2x relay 5A, PROFIsafe, 70 mm overall width, up to PL E (ISO 13849-1)/ SIL3 (IEC 61508)	SM 1226 2F-DO RELE	2 tedna	278,00

Digitalni VHODNO - IZHODNI moduli

KATALOŠKA ŠT.	OPIS	KRATKI NAZIV	DOBAVNI ROK	CENA (EUR)
6ES7223-1BH32-0XB0	SIMATIC S7-1200, Digital I/O SM 1223, 8 DI/8 DO, 8 DI 24 V DC, Sink/Source, 8 DO, transistor 0.5 A	SM 1223, 8DI / 8DO	zaloga	195,00
6ES7223-1BL32-0XB0	SIMATIC S7-1200, Digital I/O SM 1223, 16 DI/16 DO, 16 DI 24 V DC, Sink/Source, 16 DO, transistor 0.5 A	SM 1223, 16DI / 16DO	zaloga	308,00
6ES7223-1PH32-0XB0	SIMATIC S7-1200, Digital I/O SM 1223, 8 DI/8 DO, 8 DI 24 V DC, Sink/Source, 8 DO, relay 2 A	SM 1223, 8DI / 8DO RELE	zaloga	195,00
6ES7223-1PL32-0XB0	SIMATIC S7-1200, Digital I/O SM 1223, 16 DI/16 DO, 16 DI 24 V DC, Sink/Source, 16 DO, relay 2 A	SM 1223, 16DI / 16DO RELE	zaloga	308,00
6ES7223-1QH32-0XB0	SIMATIC S7-1200, Digital I/O SM 1223, 8 DI AC/8 DO RLY, 8 DI 120/230 V AC, 8 DO relay 2 A	SM 1223, 8DI (120V/230V)AC / 8DO RELE	teden dni	267,00
6ES7223-0BD30-0XB0	SIMATIC S7-1200, Digital I/O SB 1223, 2 DI/2 DO, 2 DI 24 V DC/2 DO 24 V DC	SB 1223, 2DI / 2DO	zaloga	71,70
6ES7223-3BD30-0XB0	SIMATIC S7-1200, Digital I/O SB 1223, 2 DI/2 DQ, 24 V DC 200 kHz	SB 1223, 2DI / 2DO	teden dni	71,70
6ES7223-3AD30-0XB0	SIMATIC S7-1200, Digital I/O SB 1223, 2 DI/2 DQ, 5V DC 200kHz	SB 1223, 2DI / 2DO (5V DC)	teden dni	71,70

Analogni VHODNI moduli

KATALOŠKA ŠT.	OPIS	KRATKI NAZIV	DOBAVNI ROK	CENA (EUR)
6ES7231-4HD32-0XB0	SIMATIC S7-1200, Analog input, SM 1231, 4 AI, +/-10 V, +/-5 V, +/-2.5 V, or 0-20 mA/4-20 mA, 12 bit+sign (13 bit ADC)	SM 1231, 4AI (13 BIT)	zaloga	252,00
6ES7231-5ND32-0XB0	SIMATIC S7-1200, Analog input, SM 1231, 4 AI, +/-10 V, +/-5 V, +/-2.5 V, +/-1.25 or 0-20 mA/4-20 mA, 15 bit+sign bit (16 bit ADC)	SM 1231, 4AI (16 BIT)	3 tedne	409,00
6ES7231-4HF32-0XB0	SIMATIC S7-1200, Analog input, SM 1231, 8 AI, +/-10 V, +/-5 V, +/-2.5 V, or 0-20 mA/4-20 mA, 12 bit+sign or (13 bit ADC)	SM 1231, 8AI (13 BIT)	zaloga	409,00
	SIMATIC S7-1200, Analog input, SB 1231, 1 AI, +/-10 V DC or 0-20 mA, 11 bit+sign or (12 bit ADC)	SB 1231, 1AI (12 BIT)	zaloga	71,70
6ES7231-5PD32-0XB0	SIMATIC S7-1200, Analog input, SM 1231 RTD, 4xAI RTD module	SM 1231 RTD, 4AI	zaloga	353,00
6ES7231-5PF32-0XB0	SIMATIC S7-1200, Analog input, SM 1231 RTD, 8xAI RTD module	SM 1231 RTD, 8AI	zaloga	567,00
6ES7231-5PA30-0XB0	SIMATIC S7-1200, Analog input, SB 1231RTD, 1 AI RTD, Pt100 and Pt1000	SB 1231 RTD, 1AI + Pt	zaloga	108,00
6ES7231-5QD32-0XB0	SIMATIC S7-1200, Analog input, SM 1231 TC, 4 AI thermocouples	SM 1231 TC, 4AI TČ	zaloga	353,00
6ES7231-5QF32-0XB0	SIMATIC S7-1200, Analog input, SM 1231 TC, 8 AI thermocouples	SM 1231 TC, 8AI TČ	zaloga	508,00
6ES7231-5QA30-0XB0	SIMATIC S7-1200, Analog input, SB 1231 TC, 1 AI thermocouples Type J or K	SB 1231 TC, 1AI TČ (J ali K)	3 tedne	108,00
6ES7238-5XA32-0XB0	SIMATIC S7-1200, Analog input, SM 1238 Energy Meter 480 V AC, power measurement module for data acquisition in 1- and 3-phase supply systems (TN, TT) up to 480 V AC; Current range: 1 A, 5A; Acquisition of voltage, current, phase angles, power, energy values, frequencies; Channel diagnostics	SM 1238 Energy Meter	teden dni	329,00

Analogni IZHODNI moduli

KATALOŠKA ŠT.	OPIS	KRATKI NAZIV	DOBAVNI ROK	CENA (EUR)
6ES7232-4HB32-0XB0	SIMATIC S7-1200, Analog output, SM 1232, 2 AO, +/-10 V, 14-bit resolution, or 0-20 mA/4-20 mA, 13-bit resolution	SM 1232, 2AO	zaloga	267,00
6ES7232-4HD32-0XB0	SIMATIC S7-1200, Analog output, SM 1232, 4 AO, +/-10 V, 14-bit resolution, or 0-20 mA/4-20 mA, 13-bit resolution	SM 1232, 4AO	zaloga	425,00
6ES7232-4HA30-0XB0	SIMATIC S7-1200, Analog output, SB 1232, 1 AO, +/-10 V DC (12 bit resol.) or 0-20mA (11 bit resol.)	SB 1232, 1AO	zaloga	108,00

Analogni VHODNO - IZHODNI modul

KATALOŠKA ŠT.	OPIS	KRATKI NAZIV	DOBAVNI ROK	CENA (EUR)
6ES7234-4HE32-0XB0	SIMATIC S7-1200, analog I/O SM 1234, 4 AI/2 AO, +/-10 V, 14-bit resolution or 0 (4)-20mA, 13-bit resolution	SM 1234, 4AI / 2AO	zaloga	367,00

Posebni moduli

KATALOŠKA ŠT.	OPIS	KRATKI NAZIV	DOBAVNI ROK	CENA (EUR)
6ES7278-4BD32-0XB0	SIMATIC S7-1200, SM 1278 IO-Link, 4xIO-Link Master	SM 1278 IO-Link	zaloga	256,00
7MH4960-2AA01	SIWAREX WP231 calibratable weighing electronic (1 channel) for strain gauge load cells / full bridges (1-4 mV/V) for SIMATIC S7-1200 or stand alone, RS485 and Ethernet-Interface, onboard I/O: 4 DI / 4 DO, 1 AO (0/4...20mA), attention: for calibratable applications please follow the local laws applying in the country of verification!	WP231	teden dni	579,00
7MH4960-4AA01	SIWAREX WP241 belt weigher electronic (1 channel) for strain gauge load cells / full bridges (1-4mV/V) for SIMATIC S7-1200 or stand alone, RS485 and Ethernet-Interface, onboard I/O: 4 DI / 4 DO 1 AO (0/4...20mA)	WP241	teden dni	1.104,00
7MH4960-6AA01	SIWAREX WP251 calibratable weighing electronic for batching and filling process (1 channel) for strain gauge load cells / full bridges (1-4 mV/V) for SIMATIC S7-1200 or stand alone, RS485 and Ethernet-Interface, onboard I/O: 4 DI / 4 DO, 1 AO (0/4...20mA), attention: for calibratable applications please follow the local laws applying in the country of verification!	WP251	teden dni	980,00

Baterijski modul

KATALOŠKA ŠT.	OPIS	KRATKI NAZIV	DOBAVNI ROK	CENA (EUR)
6ES7297-0AX30-0XA0	SIMATIC S7-1200, Battery Board BB 1297 for long-term buffering of the real time clock, plug-in in the signal board receptacle of the S7-12XX (FW3.0 or higher); Battery (CR1025) not included in scope of delivery	BB 1297	teden dni	64,75

Komunikacijski moduli

KATALOŠKA ŠT.	OPIS	KRATKI NAZIV	DOBAVNI ROK	CENA (EUR)
6ES7241-1AH32-0XB0	SIMATIC S7-1200, Communication module CM 1241, RS232, 9-pole D-sub (pin), supports Freeport	CM 1241, RS232	zaloga	143,00
6ES7241-1CH32-0XB0	SIMATIC S7-1200, Communication module CM 1241, RS422/485, 9-pole D-sub (socket) supports Freeport	CM 1241, RS422 / RS485	zaloga	143,00
6ES7241-1CH30-1XB0	SIMATIC S7-1200, Communication Board CB 1241, RS485, terminal block, supports Freeport	CB 1241, RS485	zaloga	93,00
6GK7242-5DX30-0XE0	Communication module CM 1242-5; for connection of SIMATIC S7-1200 to PROFIBUS as DP Slave module	CM 1242-5, PROFIBUS as DP Slave	zaloga	370,00
6GK7243-5DX30-0XE0	Communication module CM 1243-5 for connection of SIMATIC S7-1200 to PROFIBUS as DP Master module; PG/OP communication; S7 communication	CM 1243-5, PROFIBUS as DP Master	zaloga	520,00
3RK7243-2AA30-0XB0	SIMATIC S7-1200, CM 1243-2 communication module AS-Interface master according to AS-i specification V3.0	CM 1243-2 AS-Interface	teden dni	475,00
6GK7277-1AA10-0AA0	Compact Switch Module CSM 1277 for connecting SIMATIC S7-1200 and up to 3 further nodes to Industrial Ethernet with 10/100 Mbit/s; unmanaged switch, 4 RJ45 ports, ext. 24 V DC power supply LED diagnostics, S7-1200 module incl. electronic Equipment Manual on CD-ROM	CSM 1277 unmanaged, 4x RJ45	zaloga	175,00
6GK7243-1BX30-0XE0	Communications processor CP 1243-1 for connection of SIMATIC S7-1200 as additional Ethernet interface and for Connection to control centers via Remote effect protocols (DNP3, IEC 60870, TeleControl Basic), security (Firewall, VPN)	CP 1243-1 REMOTE	zaloga	565,00
6GK7242-7KX31-0XE0	Communications processor CP 1242-7 V2 for connection of SIMATIC S7-1200 to GSM/GPRS network; Web server access to CPU, data point configuration, Observe national approvals	CP 1242-7 GSM/GPRS	teden dni	860,00
6GK7243-7KX30-0XE0	Communications processor CP 1243-7 LTE EU for Connection of SIMATIC S7-1200 to LTE network in European Frequency range	CP 1243-7 LTE EU	teden dni	930,00
6NH9860-1AA00	ANT794-4MR mobile wireless antenna for 2G/3G/4G EU, GSM/UMTS/ LTE EU networks, Rod antenna; omnidirectional; weatherproof for indoors and outdoors; 5 m Connection cable permanently connected to the antenna; SMA connector; incl. mounting bracket, screws, screw anchor	ANT794-4MR	teden dni	64,30

Mrežni kabli

KATALOŠKA ŠT.	OPIS	KRATKI NAZIV	DOBAVNI ROK	CENA (EUR)
6XV1850-2GE50	Industrial Ethernet TP Cord RJ45/RJ45, TP cord Pre-assembled with 2 RJ45 connector, Length 0.5 m	ETHERNET KABEL 2xRJ45 - 0,5m	teden dni	13,30
6XV1850-2GH10	Industrial Ethernet TP Cord RJ45/RJ45, TP cord Pre-assembled with 2 RJ45 connector, Length 1 m	ETHERNET KABEL 2xRJ45 - 1,0m	teden dni	14,00
6XV1850-2GH20	Industrial Ethernet TP Cord RJ45/RJ45, TP cord Pre-assembled with 2 RJ45 connector, Length 2 m	ETHERNET KABEL 2xRJ45 - 2,0m	zaloga	15,60



Mrežni konektor

KATALOŠKA ŠT.	OPIS	KRATKI NAZIV	DOBAVNI ROK	CENA (EUR)
6GK1901-1BB10-2AA0	Industrial Ethernet FastConnect RJ45 plug 180 2x 2, RJ45 plug-in connector (10/100 Mbit/s) with rugged metal enclosure and FC connection system, for IE FC Cable 2x 2; 180° cable outlet	ETHERNET KONEKTOR	zaloga	18,70

Moduli za simuliranje

KATALOŠKA ŠT.	OPIS	KRATKI NAZIV	DOBAVNI ROK	CENA (EUR)
6ES7274-1XA30-0XA0	SIMATIC S7-1200, analog simulator SIM 1274, 2 potentiometer inputs	SIM 1274 - 2x POT	teden dni	59,80
6ES7274-1XF30-0XA0	SIMATIC S7-1200, Simulator module SIM 1274, for CPU 1211/1212 8 input switches DC 24V	SIM 1274 - 8x IN	3 tedne	111,00
6ES7274-1XH30-0XA0	SIMATIC S7-1200, Simulator module SIM 1274, for CPU 1214/1215 14 input switches DC 24V	SIM 1274 - 14x IN	4 tedne	153,00
6ES7274-1XK30-0XA0	SIMATIC S7-1200, Simulator module SIM 1274, for CPU 1217C, 14 input switches, 10x 24 V DC inputs, 4x 1.5 V differential inputs	SIM 1274 - 14x IN (10+4)	pošljite povpraševanje	153,00

Razširitveni kabel

KATALOŠKA ŠT.	OPIS	KRATKI NAZIV	DOBAVNI ROK	CENA (EUR)
6ES7290-6AA30-0XA0	SIMATIC S7-1200, Extension cable 2-tier setup for SM 12XX, 2.0m	SM 12xx, 2.0m	zaloga	62,25

Programska oprema

KATALOŠKA ŠT.	OPIS	KRATKI NAZIV	DOBAVNI ROK	CENA (EUR)
6ES7822-0AA08-0YA5	SIMATIC STEP 7 Basic V19, floating license; engineering software in the TIA Portal; software and documentation on DVD; license key on USB flash drive; class A; 9 languages: de,en,zh included, fr,es,it,ru,ja,ko as download; for configuration of SIMATIC S7-1200; SIMATIC Basic Panels; SIMATIC Unified Basic Panels;	STEP 7 Basic V19 / DVD-USB	2 tedna	388,00
6ES7822-0AE08-0YA5	SIMATIC STEP 7 Basic V19, floating license download; engineering software in the TIA Portal; software, documentation and license key for download; class A; 9 languages: de,en,zh included, fr,es,it,ru,ja,ko as download; for configuration of SIMATIC S7-1200; SIMATIC Basic Panels; SIMATIC Unified Basic Panels; ***** Consignee e-mail address required for delivery.	STEP 7 Basic V19 DOWLOAD	2 dni	323,00
6ES7822-0AA08-0YE5	SIMATIC STEP 7 Basic V19, upgrade V11..V18-> V19 floating license; engineering software in the TIA Portal; software and documentation on DVD; license key on USB flash drive; class A; 9 languages: de,en,zh included, fr,es,it,ru,ja,ko as download; for configuration of SIMATIC S7-1200; SIMATIC Basic Panels; SIMATIC Unified Basic Panels;	STEP 7 Basic V19 upgrade DVD-USB	teden dni	155,00
6ES7822-0AE08-0YE5	SIMATIC STEP 7 Basic V19, upgrade V11..V18-> V19; floating license download; engineering software in the TIA Portal; software, documentation and license key for download; class A; 9 languages: de,en,zh included, fr,es,it,ru,ja,ko as download; for configuration of SIMATIC S7-1200; SIMATIC Basic Panels; SIMATIC Unified Basic Panels; ***** Consignee e-mail address required for delivery.	STEP 7 Basic V19 upgrade DOWNLOAD	2 dni	129,00
6ES7822-1AA08-0YA7	SIMATIC STEP 7 Professional V18; trial for 21 days; engineering software in the TIA Portal; software and documentation on DVD; class A; 9 languages: de,en,zh included, fr,es,it,ru,ja,ko as download; executable on Windows 10; Windows 11; Windows Server 2016/2019/2022; for configuration of SIMATIC S7-1200/1500, SIMATIC S7-300/400/WinAC, SIMATIC Basic Panels ***** content: set (4x DVD)	STEP 7 Professional V19 trial DVD	2 tedna	28,62
6ES7833-1FB18-0YA5	SIMATIC S7, safety programming tool; STEP 7 Safety Basic V19, engineering software; floating license for 1 user; license key on USB flash drive class A, 2 languages (de, en); executable with TIA Portal V19 STEP 7 Basic V19 or higher; for configuration of SIMATIC S7-1200F ***** content: 1x USB	STEP 7 Safety Basic V19 USB	teden dni	219,00
6ES7833-1FB18-0YH5	SIMATIC S7, safety programming tool; STEP 7 Safety Basic V19, engineering software; Floating License for 1 user; license key for download; class A, 2 languages (de, en); executable with TIA Portal V19 STEP 7 Basic V19 or higher; for configuration of SIMATIC S7-1200F ***** Consignee e-mail address required for delivery	STEP 7 Safety Basic V19 DOWNLOAD	2 dni	194,00
6ES7833-1FA18-0YA5	SIMATIC S7, safety programming tool; STEP 7 Safety Advanced V19; engineering software; floating license for 1 user; license key on USB flash drive; class A, 2 languages (de, en); executable with TIA Portal V19 STEP 7 Professional V19; for configuration of SIMATIC S7-1200F/1500F, SIMATIC S7-1500F SW Controller, SIMATIC S7-300F/400F/WinAC F ***** content: 1x USB	STEP 7 Safety Advanced V19 USB	teden dni	757,00
6ES7833-1FA18-0YC5	SIMATIC S7, safety programming tool; STEP 7 Safety Advanced Powerpack Basic V19 -> Advanced V19; engineering software; Floating License for 1 user; license key on USB flash drive; class A, 2 languages (de, en); executable with TIA Portal V19 STEP 7 Professional V19; for configuration of SIMATIC S7-1200F/1500F, SIMATIC S7-1500F SW Controller, SIMATIC S7-300F/400F/WinAC F; ***** content: 1x USB	STEP 7 Safety Advanced Powerpack V19 USB	teden dni	643,00